

# BUILDING PRODUCT INFORMATION SHEET

CLASS 1 – October 2025

**Product Name:** ValuePly Non-Structural Untreated Plywood

## Product Description and Intended Use:

**ValuePly Non-Structural Untreated** plywood is decorative economy plywood product that is made from radiata pine veneers with a poplar core and is available in a range of nominal thicknesses that is typically supplied as untreated 2400 x 1200mm panels for interior or internal dry applications.

ValuePly panels may contain imperfections that include, but not limited to, mechanical damage to the edges, core or veneer overlaps, surface roughness and any other natural defects that would be normally associated with an engineered wood product.

ValuePly is primarily intended for use in non-structural applications where structural plywood is not required. **Non-structural ValuePly plywood must not be used for applications where structural performance is required in relation to the New Zealand Building Code.**

ValuePly does not conform to AS/NZS 2269 Structural Plywood standard, and cannot be used for any external or internal structural, cladding, bracing or load bearing applications as defined under the New Zealand Building Code.

## Product Identifier:

As a non-structural product there may be no visible markings on the sheets.

Packs are labelled accordingly and will note the product details and applicable identification information.

**Place of Manufacture:** China (Overseas)

**Legal and Trading Name of Manufacturer Importer:** bbi Wood Products Ltd

**New Zealand Business Number (NZBN):** 9429033930442

**Address for Service:**

27 Poporo Way, Longlands,  
Hastings,  
New Zealand

**Website:** [www.bbi.net.nz](http://www.bbi.net.nz)

**Email Address:** [sales@bbi.net.nz](mailto:sales@bbi.net.nz)

**Phone Number:** 0800 224 759

### Relevant New Zealand Building Code Clauses:

- Clause B2 Durability Performance: B2.3.1(c), B2.3.2
- Clause F2 Hazardous Building Materials Performance: F2.3.1

### Statement on how the building product is expected to contribute to compliance:

ValuePly non-structural untreated plywood may be used for general use applications where non-structural plywood does not require structural performance.

#### **Clause B2 Durability: Performance B2.3.1, B2.3.2 when used to the requirements of NZS 3602:**

ValuePly non-structural untreated plywood is manufactured to adhere with the requirements of the NZBC Clause B2 Durability. When the product is specified and used in accordance with good design and building practices, it will form part of the Acceptable Solution complying with the requirements of the NZBC (B2/AS1).

#### **Clause F2 Hazardous Building Materials: Performance F2.3.1:**

ValuePly non-structural untreated plywood meets the requirements and will not present a hazard to people.

### Limitations on the use of the building product:

- As an untreated product, the plywood panels are to be installed in internal dry situations as defined in NZS3602.
- Must not be used for structural ceiling diaphragms or structural wall bracing where structural characteristics and structural properties are required. The intended use is as a non-structural wood-based plywood veneer panel product where the structural performance is not required for internal applications.
- The use of untreated plywood panels in internal damp applications is subject to specific design and design consideration with E3 internal moisture of the New Zealand Building Code clause.
- May contain randomized natural defects or characteristics associated with a non-structural plywood product.

**Design requirements that would support the appropriate use of the building product:**

ValuePly non-structural untreated plywood must not be used in applications where the plywood requires compliance with the New Zealand Building Code. The intended use is with general applications where non-structural plywood does not require structural performance.

**Installation requirements:**

ValuePly non-structural untreated plywood must be installed with good building practise and robust design principles.

**Maintenance requirements:**

ValuePly non-structural untreated plywood is not designed for long term applications where the aesthetic appearances or structural characteristics are important. Therefore, ValuePly does not typically require maintenance.

Where there are circumstances where other products, or coatings are applied, maintenance will be in accordance with the proprietary systems manufacturer's specifications and requirements.

**Is the building product/building product line subject to warning or ban under section 26 of the Building Act 2004?**

Yes  No

**Date: 30 October 2025**