

BUILDING PRODUCT INFORMATION SHEET

CLASS 1 – November 2025

Product Name: bbi PremForm F14 Formwork Plywood

Product Description and Intended Use:

PremForm F14 Formwork Plywood is a product designed for general or specific design use with concrete forming industry.

PremForm form work plywood is a wood veneer-based product, manufactured in accordance with AS6669:21016, with third party certification by CMI ProdCert (CMI Certification) which gives the assurance of the structural integrity that this product is designed for use in Australia and New Zealand.

PremForm is available in the nominal 17mm thickness and 2400x1200mm panel size with a film face applied to both surface faces, F14 stress graded and is only available as untreated only.

Product Identifier:

PremForm F14 formwork plywood can be identified by the markings on the sheets. The sheets are marked in accordance with AS6669:2016. This includes the country of origin and stress grading.

Place of Manufacture: Overseas

Legal and Trading Name of Importer: bbi Wood Products Ltd

New Zealand Business Number (NZBN): 9429033930442

Address for Service:

27 Poporo Way, Longlands,
Hastings,
New Zealand

Website: www.bbi.net.nz

Email Address: sales@bbi.net.nz

Phone Number: 0800 224 759

Relevant New Zealand Building Code Clauses:

- Clause B1 Structure: Performance: B1.3.1, B1.3.2, B1.3.3(a,b,c,f,h,j,q), B1.3.4(a,c,d)
- Clause B2 Durability Performance: B2.3.1(c)
- Clause F2 Hazardous Building Materials Performance: F2.3.1

Statement on how the building product is expected to contribute to compliance:

PremForm formwork plywood may be used in general or specific design applications.

PremForm Plywood has been manufactured in accordance with AS6669:2016 and assists in meeting the following provisions of the New Zealand Building Code:

Clause B1 Structure: Performance B1.3.1 , B1.3.2, B1.3.3, B1.3.4:

PremForm structural form work plywood is product certified by an independent certification organization CMI Prod Cert as being manufactured in accordance with the Australian Standard, AS 6669 Form Work Plywood.

Clause B2 Durability: Performance B2.3.1:

PremForm plywood is manufactured to adhere with the requirements of the NZBC Clause B2 Durability. When the product is specified and used in accordance with good design and construction building practices, it will form part of the Acceptable Solution contributing to the requirements of the NZBC (B2/AS1).

Clause F2 Hazardous Building Materials: Performance F2.3.1:

PremForm plywood meets the requirements and will not present a hazard to people.

PremForm formwork plywood product, specified in accordance with New Zealand Building Code (NZBC) Clause B1/VM1 (B1 Structure Verification Method) or specified in accordance with B1/AS1 (B1 Structure Acceptable Solutions) is suitable for use as a structural formwork plywood panel within structural systems as designed and specified by suitably qualified professionals and engineers. The installation and detailing of the SupaForm plywood should be installed in accordance with the specifications and details as provided by the design professionals and engineers.

Durability is determined by the care and handling of PremForm plywood that should be detailed and specified by the suitably qualified design professionals and engineers to contribute to the requirements for a timber-based wood veneer product of the NZBC Durability Clause B2 (B2 Durability).

PremForm plywood will continue to contribute to the relevant performance requirements of the New Zealand Building Code and other statutory time frames as specified by the designer or specifier of the project provided that the specific design parameters of the project are met and satisfied accordingly.

Limitations on the use of the building product:

- PremForm when cut, edges should be resealed to prevent moisture wicking.
- Appropriate handling and care should be taken to avoid mechanical damage to the formwork plywood, as this may affect the final product and formwork.
- The use of PremForm outside the intended application of formwork will be subject to specific design by the specifier of the project.

Design requirements that would support the appropriate use of the building product:

PremForm panels can be specified as a formwork substrate or specified as part of specific design solution as a formwork substrate.

The design requirements that would support the appropriate use of the building product would be subject to the detailing and specifications by the specifier. It is the specifiers responsibility to ensure the correct design requirements and details are provided.

Installation requirements:

PremForm should be installed with good building practice, robust construction methodology and sound design principles or as specified by specific design detail by the engineer or suitably qualified design professional where applicable.

PremForm plywood may be installed in accordance with the Care and Handling Manual FormPly subject to suitability and appropriate specification for the application of structural formwork plywood where applicable.

Maintenance requirements:

PremForm formwork plywood does not typically require maintenance. Where there are circumstances, the product is to be reused, care in handling should be considered and the cleaning of the plywood with water recommended.

Is the building product/building product line subject to warning or ban under section 26 of the Building Act 2004?

☐ Yes ☒ No

Date: 19 November 2025